


Product Catalogue 2024





CONTENT

- Company Profile
- Disposable Powered Articulating Endoscopic Linear Cutter Stapler & Reloads
 - Lunar U Pro
 - S Series
 - Stepwise Staple Reloads
 - Lunar U
 - D Series 2023
 - Curved Tip
 - Flat Deck Reloads
 - FulGrip Reloads
- Disposable Endoscopic Linear Cutter Stapler & Reloads
 - DR Series
 - FR Series
 - Flat Deck Reloads
 - FulGrip Reloads
- Disposable Endoscopic Trocar
 - Flagship
 - Mini
- Disposable Endoscopic Specimen Retrieval Bags & Ligating Loops
- Open Staplers
 - Disposable Linear Cutter Stapler & Reloads
 - Disposable Linear Stapler & Reloads
 - Disposable Curved Cutter Stapler & Reloads
 - Disposable Circular Staplers
 - Disposable Hemorrhoidal Staplers

Company Profile

More than
200,000
new patients benefit from
Fulbright staplers
each year!




WE THINK NEXT


Disposable Powered Articulating Endoscopic Linear Cutter Stapler & Reloads




Lunar U Pro




S Series



Lunar U



D Series 2023



Lunar U Pro

60mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
DSAS60	280	15	3
DSAM60	340	15	3
DSAL60	440	15	3

Attachment
Reloads Remover



* Reloads remover included in the package, curved tip is optional

45mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
DSAS45	280	15	3
DSAM45	340	15	3
DSAL45	440	15	3

Attachment
Reloads Remover



* Reloads remover included in the package, curved tip is optional

Model	Voltage	Capacity
DMB	12V	1550mAh

Battery



S Series

60mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
DNMS60	280	15	3
DNMM60	340	15	3
DNML60	440	15	3

Attachment
Reloads Remover



* Reloads remover included in the package, curved tip is optional

45mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
DNMS45	280	15	3
DNMM45	340	15	3
DNML45	440	15	3

Attachment
Reloads Remover



* Reloads remover included in the package, curved tip is optional

Model	Voltage	Capacity
-------	---------	----------

FMB

12V

1550mAh

Battery



Stepwise Staple Reloads for Lunar U Pro and S Series Powered Stapler

60mm



Model	Color	Rows	Open Staple Height(mm)	Pcs/Carton
DACW60	White	6	2.5	72
DACT60	Tan	6	2.5/3.0/3.5	72
DACP60	Purple	6	3.5/3.8/4.1	72
DACX60	Black	6	4.1/4.4/4.7	72

45mm



Model	Color	Rows	Open Staple Height(mm)	Pcs/Carton
DACW45	White	6	2.5	72
DACT45	Tan	6	2.5/3.0/3.5	72
DACP45	Purple	6	3.5/3.8/4.1	72
DACX45	Black	6	4.1/4.4/4.7	72

Lunar U

60mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
FSAS60	280	15	3
FSAM60	340	15	3
FSAL60	440	15	3

Attachment
Reloads Remover



* Reloads remover included in the package, curved tip is optional

45mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
FSAS45	280	15	3
FSAM45	340	15	3
FSAL45	440	15	3

Attachment
Reloads Remover



* Reloads remover included in the package, curved tip is optional

Model	Voltage	Capacity
DMB	12V	1550mAh

Battery



D Series 2023

60mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
DSMS60	280	15	3
DSMM60	340	15	3
DSML60	440	15	3

Attachment
Reloads Remover



* Reloads remover included in the package, curved tip is optional

45mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
DSMS45	280	15	3
DSMM45	340	15	3
DSML45	440	15	3

Attachment
Reloads Remover




* Reloads remover included in the package, curved tip is optional




Model	Voltage	Capacity
FMB	12V	1550mAh

Battery






Curved Tip
Need extra assist to bypass vessels?



*Please contact our representative if needed


Flat Deck Reloads for Lunar U and D Series Powered Stapler

60mm



Model	Color	Rows	Tissue Type	Open Staple Height(mm)	Closed Staple Height(mm)	Pcs/Carton
FMCC60	Grey	6	Mesentery	2.5	0.75	72
FMCW60	White	6	Vascular	2.5	1.0	72
FMCB60	Blue	6	Standard	3.5	1.5	72
FMCY60	Gold	6	Standard/Thick	3.8	1.8	72
FMCG60	Green	6	Thick	4.1	2.0	72
FMCX60	Black	6	Very Thick	4.4	2.3	72

45mm



Model	Color	Rows	Tissue Type	Open Staple Height(mm)	Closed Staple Height(mm)	Pcs/Carton
FMCC45	Grey	6	Mesentery	2.5	0.75	72
FMCW45	White	6	Vascular	2.5	1.0	72
FMCB45	Blue	6	Standard	3.5	1.5	72
FMCY45	Gold	6	Standard/Thick	3.8	1.8	72
FMCG45	Green	6	Thick	4.1	2.0	72
FMCX45	Black	6	Very Thick	4.4	2.3	72

FulGrip Reloads for Lunar U and D Series Powered Stapler

60mm



Model	Color	Rows	Tissue Type	Open Staple Height(mm)	Closed Staple Height(mm)	Pcs/Carton
FACC60	Grey	6	Mesentery	2.5	0.75	72
FACW60	White	6	Vascular	2.5	1.0	72
FACB60	Blue	6	Standard	3.5	1.5	72
FACY60	Gold	6	Standard/Thick	3.8	1.8	72
FACG60	Green	6	Thick	4.1	2.0	72
FACX60	Black	6	Very Thick	4.4	2.3	72

45mm




Model	Color	Rows	Tissue Type	Open Staple Height(mm)	Closed Staple Height(mm)	Pcs/Carton
FACC45	Grey	6	Mesentery	2.5	0.75	72
FACW45	White	6	Vascular	2.5	1.0	72
FACB45	Blue	6	Standard	3.5	1.5	72
FACY45	Gold	6	Standard/Thick	3.8	1.8	72
FACG45	Green	6	Thick	4.1	2.0	72
FACX45	Black	6	Very Thick	4.4	2.3	72


Disposable Endoscopic Linear Cutter Stapler & Reloads



DR Series



FR Series



DR Series

60mm



Model	Shaft Length(mm)	Articulation	Max Firings	Pcs/Carton
DRES60	280	Yes	15	3
DREM60	340	Yes	15	3
DREL60	440	Yes	15	3

* Reloads remover included in the package, curved tip is optional

45mm



Model	Shaft Length(mm)	Articulation	Max Firings	Pcs/Carton
DRES45	280	Yes	15	3
DREM45	340	Yes	15	3
DREL45	440	Yes	15	3

* Reloads remover included in the package, curved tip is optional

FR Series

60mm



Model	Shaft Length(mm)	Articulation	Max Firings	Pcs/Carton
FRES60	280	Yes	12	3
FREM60	340	Yes	12	3
FREL60	440	Yes	12	3

* Reloads remover included in the package, curved tip is optional

45mm




Model	Shaft Length(mm)	Articulation	Max Firings	Pcs/Carton
FRES45	280	Yes	12	3
FREM45	340	Yes	12	3
FREL45	440	Yes	12	3

* Reloads remover included in the package, curved tip is optional


Flat Deck Reloads for DR & FR Series Manual Stapler

60mm



Model	Color	Rows	Tissue Type	Open Staple Height(mm)	Closed Staple Height(mm)	Pcs/Carton
FACU60	Gray	6	Mesentery	2.5	0.75	72
FACV60	White	6	Vascular	2.5	1.0	72
FACS60	Blue	6	Standard	3.5	1.5	72
FACM60	Gold	6	Standard/Thick	3.8	1.8	72
FACT60	Green	6	Thick	4.1	2.0	72
FACH60	Black	6	Very Thick	4.4	2.3	72

45mm



Model	Color	Rows	Tissue Type	Open Staple Height(mm)	Closed Staple Height(mm)	Pcs/Carton
FACU45	Gray	6	Mesentery	2.5	0.75	72
FACV45	White	6	Vascular	2.5	1.0	72
FACS45	Blue	6	Standard	3.5	1.5	72
FACM45	Gold	6	Standard/Thick	3.8	1.8	72
FACT45	Green	6	Thick	4.1	2.0	72
FACH45	Black	6	Very Thick	4.4	2.3	72

FulGrip Reloads for DR & FR Series Manual Stapler

60mm



Model	Color	Rows	Tissue Type	Open Staple Height(mm)	Closed Staple Height(mm)	Pcs/Carton
FRCU60	Gray	6	Mesentery	2.5	0.75	72
FRCV60	White	6	Vascular	2.5	1.0	72
FRCS60	Blue	6	Standard	3.5	1.5	72
FRCM60	Gold	6	Standard/Thick	3.8	1.8	72
FRCT60	Green	6	Thick	4.1	2.0	72
FRCH60	Black	6	Very Thick	4.4	2.3	72

45mm



Model	Color	Rows	Tissue Type	Open Staple Height(mm)	Closed Staple Height(mm)	Pcs/Carton
FRCU45	Gray	6	Mesentery	2.5	0.75	72
FRCV45	White	6	Vascular	2.5	1.0	72
FRCS45	Blue	6	Standard	3.5	1.5	72
FRCM45	Gold	6	Standard/Thick	3.8	1.8	72
FRCT45	Green	6	Thick	4.1	2.0	72
FRCH45	Black	6	Very Thick	4.4	2.3	72

Disposable Endoscopic Trocar



Flagship Series



Mini Series



Flagship



Model	Shaft Diameter(mm)	Obturator Material	Shaft Length(mm)	Pcs/Carton
BLTC5	5	Stainless Steel	100	16
BLTC10	10	Stainless Steel	100	16
BLTC12	12	Stainless Steel	100	16
BLTC15	15	Stainless Steel	100	16



Model	Shaft Diameter(mm)	Sleeve	Shaft Length(mm)	Pcs/Carton
B5LT	5	Stability	100	12
B10LT	10	Stability	100	12
B12LT	12	Stability	100	12
B15LT	15	Stability	100	12

Flagship



Model	Shaft Diameter(mm)	Obturator Material	Shaft Length(mm)	Pcs/Carton
FXPC12	12	PC	152	16



Model	Shaft Diameter(mm)	Sleeve	Shaft Length(mm)	Pcs/Carton
F12XP	12	Stability	152	12

Mini



Model	Shaft Diameter(mm)	Obturator Material	Shaft Length(mm)	Pcs/Carton
BLPC5	5	Stainless Steel	100	16
BLPC10	10	Stainless Steel	100	16
BLPC12	12	Stainless Steel	100	16



Model	Shaft Diameter(mm)	Sleeve	Shaft Length(mm)	Pcs/Carton
B5LP	5	Stability	100	12
B10LP	10	Stability	100	12
B12LP	12	Stability	100	12

Disposable Endoscopic Specimen Retrieval Bags & Ligating Loops




Disposable Endoscopic
Specimen Retrieval Bags



Disposable Endoscopic
Ligating Loops



Disposable Endoscopic Specimen Retrieval Bags



Model	Capacity(mm)	Description	Diameter(mm)	Pcs/Carton
FRC4-10	150	120 x 150mm with New Net Bag(PC tube)	10	12
HRC6-10	1200	150 x 240mm with PU Bag(PC tube)	10	12

Disposable Endoscopic Ligating Loops



Model	Loop Diameter(mm)	Suture Diameter(mm)	Pcs/Carton
FL10	240	0.350-0.399	72
FL20	240	0.300-0.349	72
HL10	300	0.350-0.399	72
HL20	300	0.300-0.349	72

Open Staplers



Disposable Linear Cutter
Stapler & Reloads



Disposable Linear Stapler
& Reloads



Disposable Curved Cutter
Stapler & Reloads



Disposable Circular Staplers



Disposable Hemorrhoidal
Staplers



Disposable Linear Cutter Stapler

1. The cutter is made by imported stainless steel 440
2. Tissue retaining button designed to protect good firing and good staple formed
3. 55mm, 75mm, 100mm sizes for your good choice



Model	Color	Tissue Type	Open Staple Height	Closed Staple Height	Maximum Firings	Pcs / Carton
FALC(S)-55	Blue	Standard	3.85mm	1.5mm	8	12
FALC(T)-55	Green	Thick	4.5mm	2.0mm	8	12
FALC(S)-75	Blue	Standard	3.85mm	1.5mm	8	12
FALC(M)-75	Gold	Standard/Thick	4.2mm	1.8mm	8	12
FALC(T)-75	Green	Thick	4.5mm	2.0mm	8	12
FALC(S)-100	Blue	Standard	3.85mm	1.5mm	8	10
FALC(T)-100	Green	Thick	4.5mm	2.0mm	8	10

Disposable Linear Cutter Stapler Reloads



Model	Color	Rows	Tissue Type	Open Staple Height	Closed Staple Height	Pcs / Carton
FALC(S)-55-DC	Blue	4	Standard	3.85mm	1.5mm	48
FALC(T) -55-DC	Green	4	Thick	4.5mm	2.0mm	48
FALC(S)-75-DC	Blue	4	Standard	3.85mm	1.5mm	48
FALC(M)-75-DC	Gold	4	Standard/Thick	4.2mm	1.8mm	48
FALC(T) -75-DC	Green	4	Thick	4.5mm	2.0mm	48
FALC(S)-100-DC	Blue	4	Standard	3.85mm	1.5mm	48
FALC(T)-100-DC	Green	4	Thick	4.5mm	2.0mm	48

Disposable Linear Stapler

1. Automatic remote manual pin placement
2. Special anvil design for cutting operating of Doctor's knife
3. 3.30mm, 45mm, 60mm , 90mm sizes for your good choice



Model	Color	Tissue Type	Open Staple Height	Closed Staple Height	Reload included	Pcs / Carton
FLS(S)-30	Blue	Standard	3.5mm	1.5mm	FLS(S)-30-DC	3
FLS(T)-30	Green	Thick	4.8mm	2.0mm	FLS(T)-30-DC	3
FLS(S)-45	Blue	Standard	3.5mm	1.5mm	FLS(S)-45-DC	3
FLS(T)-45	Green	Thick	4.8mm	2.0mm	FLS(T)-45-DC	3
FLS(S)-60	Blue	Standard	3.5mm	1.5mm	FLS(S)-60-DC	3
FLS(T)-60	Green	Thick	4.8mm	2mm	FLS(T)-60-DC	3
FLS(S)-90	Blue	Standard	3.5mm	1.5mm	FLS(S)-90-DC	3
FLS(T)-90	Green	Thick	4.8mm	2.0mm	FLS(T)-90-DC	3

Disposable Linear Stapler Reloads



Model	Color	Tissue Type	Open Staple Height	Closed Staple Height	Pcs / Carton
FLS(S)-30-DC	Blue	Standard	3.5mm	1.5mm	96
FLS(T)-30-DC	Green	Thick	4.8mm	2.0mm	96
FLS(S)-45-DC	Blue	Standard	3.5mm	1.5mm	96
FLS(T)-45-DC	Green	Thick	4.8mm	2.0mm	96
FLS(S)-60-DC	Blue	Standard	3.5mm	1.5mm	96
FLS(T)-60-DC	Green	Thick	4.8mm	2.0mm	96
FLS(S)-90-DC	Blue	Standard	3.5mm	1.5mm	96
FLS(T)-90-DC	Green	Thick	4.8mm	2.0mm	96

Disposable Curved Cutter Staplers



Model	Color	Open Staple Height	Closed Staple Height	Reload Included	Pcs / Carton
FCS(T)-45	Green	4.7mm	2.0mm	FCS(T)-45-DC	3



Disposable Curved Cutter Stapler Reloads

Model	Color	Open Staple Height	Closed Staple Height	Pcs / Carton
FCS(T)-45-DC	Green	4.7mm	2.0mm	96

Disposable Circular Staplers



Model	Lumen	Shaft Length	Head Diameter	Height	Closed Staple Height	Pcs / Carton
FAEEA-21	12.2mm	44.5cm	21mm	5mm	1.0-2.5mm adjustable	12
FAEEA-25	16.2mm	44.5cm	25mm	5mm	1.0-2.5mm adjustable	12
FAEEA-26	17.2mm	44.5cm	26mm	5mm	1.0-2.5mm adjustable	12
FAEEA-29	20.2mm	44.5cm	29mm	5mm	1.0-2.5mm adjustable	12
FAEEA-32	23.2mm	44.5cm	32mm	5mm	1.0-2.5mm adjustable	12
FAEEA-33	24.2mm	44.5cm	33mm	5mm	1.0-2.5mm adjustable	12

Disposable Hemorrhoidal Staplers(PPH Set)



Model	Size	Description	Pcs / Carton
FAPPH-32	32	includes Hemorrhoidal circular stapler 32mm,34mm suture threader,circular anal dilator and purse string anoscope	3
FAPPH-34	34		3



Fulbright Medical Inc.

Address: Room 2301, Aurora Plaza, No.99 Fu Cheng Road, Pudong, Shanghai, China

E-mail: enquiry.obd@fulbrightmed.com



fulbrightmed.com



Fulbright Medical



WhatsApp

Scan the QR code or enter the link to join us 18015302028